



DRAFT FOR REAFFIRMATION REVIEW

E1.53 – 2019 (R202x)

Overhead mounting of luminaires, lighting accessories, and other portable devices: specification and practice

Reaffirmed by the ANSI Board of Standards Review on _____

Document number: EP/2015-7010r7b

© 202x the Entertainment Services and Technology Association (ESTA)

Notice and Disclaimer

ESTA does not approve, inspect, or certify any installations, procedures, equipment or materials for compliance with codes, recommended practices or standards. Compliance with a ESTA standard or recommended practice is the sole and exclusive responsibility of the manufacturer or provider and is entirely within their control and discretion. Any markings, identification, or other claims of compliance do not constitute certification or approval of any type or nature whatsoever by ESTA.

ESTA neither guarantees nor warrants the accuracy or completeness of any information published herein and disclaim liability for any personal injury, property or other damage or injury of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this document.

In issuing and distributing this document, ESTA does not either (a) undertake to render professional or other services for or on behalf of any person or entity, or (b) undertake any duty to any person or entity with respect to this document or its contents. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstance.

Published By:

Entertainment Services and Technology Association (ESTA)
271 Cadman Plaza PO Box 23200
Brooklyn, NY 11202-3200
USA
Phone: +1-212-244-1505
Email: standards@esta.org

ESTA's Technical Standards Program

The ESTA Technical Standards Program was created to serve the ESTA membership and the entertainment industry in technical standards related matters. The goal of the program is to take a leading role regarding technology and safety within the entertainment industry by creating recommended practices and standards, monitoring standards issues around the world on benefit of our members, and improving communications and safety within the industry. ESTA works closely with the technical standards efforts of other organizations within our industry including ESA, CITT, USITT and VPLT as well as representing the interests of ESTA members to ANSI, UL, ASCE, ICC, and the NFPA. ESTA is an ANSI Accredited Standards Developer.

The Technical Standards Council (TSC) established by ESTA's Board of Directors to oversee and coordinate the Technical Standards Program. Made up of individuals experienced in standards development work from throughout our industry, the Committee approves all projects undertaken and assigns them to the appropriate working group. The Technical Standards Council employs a Technical Standards Manager to coordinate the work of the Committee and its working groups as well as maintaining a "Standards Watch" on behalf of members. Working groups include: Control Protocols, Electrical Power, Event Safety, Floors, Fog and Smoke, Followspot Positions, Photometrics, Rigging, Stage Machinery, and Prop Weapons Safety.

ESTA encourages active participation in the Technical Standards Program. There are several ways to become involved. The easiest way to actively participate is to respond to any of the public reviews advertised on ESTA's [public review web page](#). The next level of participation requires completion of an application to become a working group member; applications are available from the TSP's [procedural documents web page](#). Application as an Observer member affords access to updates on standards development documents. Application as a voting member affords full participation as a consensus voice that helps shape the industry. Requirements for voting membership include responding to letter ballots and attending meetings, but membership in ESTA or any other organization is not a requirement for participation in the TSP. One can also become involved by requesting that the TSC develop a standard or a recommended practice in an area of concern to them.

The Electrical Power Working Group, which authored this standard, consists of a cross section of entertainment industry professionals representing a diversity of interests. ESTA is committed to developing consensus-based standards and recommended practices in an open setting.

Investors in Innovation

The Technical Standard Program (TSP) is financially supported by ESTA and by companies and individuals who make donations to the TSP. Contributing companies and individuals who have helped fund the TSP are recognized as “Investors in Innovation”. These are the Investors in Innovation when this standard was approved by ANSI's Board of Standards Review:

[Insert the current Investors table here]

Memorial donor: The Estate of Ken Vannice

All donations to the Technical Standards Program benefit the entire program, and are not directed to any specific use or project within the program. Please help support the Technical Standards Program by becoming an Investor in Innovation. Visit our website at <http://tsp.esta.org/invest>, or contact the ESTA office at 1-212-244-1505 and select "TSP" from the menu.

Contact Information**Technical Standards Manager**

Richard J. Nix
ESTA
271 Cadman Plaza PO Box 23200
New York, NY 11202-3200
USA
+1-212-244-1505
richard.nix@esta.org

Senior Technical Standards Manager

Karl G. Ruling
ESTA
271 Cadman Plaza PO Box 23200
New York, NY 11202-3200
USA
+1-212-244-1505
karl.ruling@esta.org

Technical Standards Council Chairperson

Mike Garl
Mike Garl Consulting LLC
+1-865-389-4371
mike@mikegarlconsulting.com

Alan Rowe
I.A.T.S.E Local 728
Phone: 1 310-702-2909
amrowe@iatse728.org

Electrical Power Working Group Co-chairpersons

Justin Bennett
University of the Incarnate Word
Phone: 1-210-829-3809
jbennett@uiwtx.edu

Mitch Hefter
Phone: 1-972-839-8488
mkhefter.p@DesignRelief.com

Acknowledgments

The Working Group members, when this document was approved by the working group on _____, are shown below.

Voting members:

Observer (non-voting) members:

Interest category codes:

CP = custom-market producer DE = designer
DR = dealer rental company G = general interest
MP = mass-market producer U = user

Table of Contents

Investors in Innovation.....	iii
Acknowledgments.....	v
1 Introduction (informative).....	1
2 Scope (normative).....	1
3 Definitions (normative).....	2
4 Hardware specifications (normative).....	2
4.1 Primary Mounting Devices.....	2
4.1.1 Rated Primary Mounting Devices.....	2
4.1.2 Unrated Primary Mounting Devices.....	2
4.1.3 Environmental Suitability.....	2
4.2 Secondary Mounting Devices.....	2
4.2.1 Rated Secondary Mounting Devices.....	2
4.2.2 Unrated Secondary Mounting Devices.....	2
4.2.3 Environmental Suitability.....	3
5 Practice (normative).....	3
5.1 Equipment Inspection.....	3
5.2 Attaching the Primary Mounting Device.....	3
5.3 Secondary Mounting Devices.....	3
5.3.1 When Secondary Mounting Devices are required to be used.....	3
5.3.2 Attaching Secondary Mounting Devices.....	3
5.4 Securing Accessories.....	3
6 Proof-testing (normative).....	3
6.1 Proof-testing Primary Mounting Devices.....	3
6.2 Proof-testing Secondary Mounting Devices.....	4
7 Explanatory material (informative).....	4
7.1 Scope.....	4
7.2 Attaching the Primary Mounting Device.....	4
7.3 When a Secondary Mounting Device is not required.....	5
7.4 Attaching the Secondary Mounting Device.....	5
7.5 Securing Accessories.....	5
7.6 Mounting Device load rating and proof-testing.....	5

1 Introduction (informative)

This Standard is being drafted to address a problem that concerns Actors' Equity and its members. The Chief Outside Business Representative for Actors' Equity wrote to ESTA Technical Standards Manager, describing some near-misses with falling lighting equipment, and asking what standards exist or might be drafted to cover the proper rigging of equipment so it does not fall and endanger performers. There is very little now written that would tell anybody hanging lighting equipment how it should be hung and accessories installed, and if a safety cable should be used.

UL 1573, Stage and Studio Luminaires and Connector Strips, has tests for the structural strength of a luminaire and its mounting hardware, and also tests for safety cables and safety chains, but these tests only apply to the manufactured luminaires, not to after-market accessories. Furthermore, the standard says nothing about how a stage technician is to use these mounting devices.

The European standard for stage and studio luminaires, EN 60598-2-17, is similar to the UL standard in that it gives strength requirements for suspension devices, but it goes beyond the UL standard in that it requires a back-up suspension device (e.g., a safety cable) to be provided. However, the C-clamp or other primary mounting is optional—a luminaire can be considered complete even without any mounting device—and it doesn't require anyone to use it or a safety cable.

Luminaire manufacturer's instructions would be expected to tell a person how to safely hang an instrument. However, very few do, and those that do do not cover all aspects of instrument hanging.

Falling equipment is a big problem for the person standing under the equipment when it falls. Furthermore, equipment is falling often enough that actors are worried about it and are complaining to their business representatives. Worry is something that can grow with very little to feed it. Uncontrolled worry is a problem that affects the success of any show. The easiest way to control worry is to remove the source of it—in this case by reducing the frequency of falling equipment and by making it clear what wasn't done but should have been done when equipment does fall.

2 Scope (normative)

This Standard shall apply to the mounting of portable stage and studio luminaires and accessories mounted overhead in stages, auditoriums, and other places of public assembly, and also in film and video studios. It shall also apply to the mounting of portable effects machines such as fog machines, bubble machines, and other devices and loudspeakers of size and weight similar to that of stage and studio luminaires and normally mounted in a similar manner (e.g., mounted with c-clamps, hook-clamps, or similar luminaire suspension hardware).

This Standard does not apply to permanently mounted architectural luminaires or fixtures, nor does it apply to track lighting luminaires that are both supported and powered by electrical contacts that engage power buses inside a lighting track.

3 Definitions (normative)

Accessories: devices that are field-attached to equipment to modify its performance. Examples include barndoors, top-hats, and color changers attached to luminaires, and hoses or fans attached to fog machines.

Intended Load: the total weight that is to be supported by a mounting device. For example, the Intended Load for a C-clamp supporting a luminaire outfitted with a color changer and barndoors would be the sum of the weights of the luminaire, the color changer, the barndoors, the power or control cables hanging from the luminaire, and the C-clamp.

Mounting Position: the part of the overhead rigging system or building structure to which Supported Equipment is to be attached. Examples would include rigging battens, truss tubes, box booms, and sidelight booms.

Primary Mounting Devices: the devices that are intended to be the main support for equipment within the scope of this Standard. Examples would be c-clamps, stirrups, and hook-clamps.

Secondary Mounting Devices: devices that are intended to stop the fall of Supported Equipment if the Primary Mounting Device fails. Examples would be safety cables and safety chains.

Supported Equipment: portable equipment that is within the scope of this Standard and attached to a Mounting Position.

Test Load: a load used for testing the ability of a Primary or Secondary Mounting Device to support an Intended Load.

Use: the act of installing a Primary or Secondary Mounting Device to support equipment.

4 Hardware specifications (normative)

4.1 Primary Mounting Devices

Primary Mounting Devices (C-clamps, stirrups, etc.) shall be able to support the Intended Load. The ability of the Primary Mounting Device to support the Intended Load shall be certified by the mounting device being rated by the manufacturer or proof-tested per clauses 4.1.1 or 4.1.2.

4.1.1 Rated Primary Mounting Devices

Primary Mounting Devices shall be rated for a load equal to or greater than the Intended Load. The load rating shall be indelibly marked on the mounting device and indicated as "Safe Working Load," "SWL," "Working Load Limit," "WLL," or some other phrase that will indicate to the end-user the maximum load the Primary Mounting Device should be expected to hold. Unmarked devices shall be considered unrated.

4.1.2 Unrated Primary Mounting Devices

Unrated Primary Mounting Devices shall be individually proof-tested to twice the anticipated load, per clause 6.1 and its subclauses before use.

4.1.3 Environmental Suitability

The Primary Mounting Device shall be made of material suitable for the environment of its use. It shall be not be weakened by light, temperature, water, or solvents it reasonably might be expected to be exposed to in use.

4.2 Secondary Mounting Devices

4.2.1 Rated Secondary Mounting Devices

Secondary Mounting Devices shall be rated to arrest a falling load equal to or greater than the Intended Load, when the Secondary Mounting Device is installed according to the manufacturer's instructions. The load rating shall be indelibly marked on the Secondary Mounting Device. Unmarked devices shall be considered as unrated.

4.2.2 Unrated Secondary Mounting Devices

Unrated Secondary Mounting Devices shall be individually proof-tested to six times the Intended Load per clause 6.2 and its subclauses before use.

4.2.3 Environmental Suitability

The Secondary Mounting Device shall be made of material suitable for the environment of its use. It shall not be weakened by light, temperature, water, or solvents it reasonably might be expected to be exposed to in use.

5 Practice (normative)

5.1 Equipment Inspection

The Supported Equipment and Mounting Devices (primary and secondary) shall be inspected for structural integrity before use. Equipment with missing or broken parts, or otherwise defective, shall not be used.

5.2 Attaching the Primary Mounting Device

The Primary Mounting Device shall be attached to the Supported Equipment according to the mounting device manufacturer's instructions. Unless the manufacturer's instructions specifically say the contrary, the fastening shall be firm, but not so tight as to damage the Supported Equipment.

The Primary Mounting Device shall be attached to the Mounting Position according to the mounting device manufacturer's instructions. Unless the manufacturer's instructions specifically say the contrary, the fastening shall be firm, but not so tight as to damage the Mounting Position.

The Supported Equipment shall be suspended vertically below the Primary Mounting Device; it shall not be above or to the side of the Primary Mounting Device unless the Primary Mounting Device is designed for that type of application.

5.3 Secondary Mounting Devices

5.3.1 When Secondary Mounting Devices are required to be used

Secondary Mounting Devices are required to be used whenever the failure of the Primary Mounting Device might result in injury to a person. Secondary Mounting Devices are not required when the failure of a Primary Mounting Device is unlikely to result in injury to a person, for example, when a luminaire is mounted where there is no possibility of a person being underneath to be hit by falling equipment, when the equipment is so lightweight that it is unlikely to cause injury, or when there are redundant Primary Mounting Devices and the failure of one of them will not cause the equipment to fall.

5.3.2 Attaching Secondary Mounting Devices

The Secondary Mounting Devices shall be attached between the Supported Equipment and the Mounting Position to arrest the fall of the Supported Equipment if the Primary Mounting Device should fail. The connection to the Supported Equipment should be made to a fixing point on the equipment designed for Secondary Mounting Devices, if such a fixing point is available. The Secondary Mounting Device shall be installed so that the Supported Equipment can be easily adjusted, but any fall, if it should occur, shall be limited to a distance of 30 cm or less. The Secondary Mounting Device shall be attached to the Mounting Position in such a way that it cannot slip off and become ineffective.

5.4 Securing Accessories

Unless an Accessory is unlikely to cause injury to a person if it falls, the Accessory shall be secured to the Supported Equipment. The Accessory shall be fastened to the Supported Equipment in such a way that it cannot fall if the Supported Equipment is bumped or inverted. Clips that are integral to the Supported Equipment and that require two motions to release them are preferred, but malleable wire of sufficient strength shall be permissible for securing the Accessories.

6 Proof-testing (normative)

6.1 Proof-testing Primary Mounting Devices

6.1.2 The Primary Mounting Device is to be secured to a rigid support and to a Test Load in a manner similar or identical to that described in clause 5.2.

6.1.3 The Test Load is to have a weight of not less than twice the Intended Load.

6.1.4 The Primary Mounting Device shall continuously support the Test Load for 1 hour.

6.1.5 The structural members and joints of the Primary Mounting Device and attachment fittings shall not show any visible evidence of material failure such as breakage, cracking, stripping of threads, or slipping of joints.

6.1.6 A Primary Mounting Device that has been tested shall be considered as having a load rating if it is then marked with a marking that indicates the Intended Load.

6.2 Proof-testing Secondary Mounting Devices

6.2.1 The Secondary Mounting Device is to be secured to a rigid support and to a Test Load using the method described in clause 5.3.2.

6.2.2 The Test Load is to have a weight of not less than six times the Intended Load.

6.2.3 Swinging and movement of the Test Load shall be prevented when the support of the Test Load is transferred to the Secondary Mounting Device. The Secondary Mounting Device shall continuously support the Test Load for 1 hour.

6.2.4 The structural members and joints of the Secondary Mounting Device and attachment fittings shall not show any visible evidence of material failure such as breakage, cracking, stripping of threads, or slipping of joints.

6.2.5 A Secondary Mounting Device that has been tested shall be considered as having a load rating if it is then marked with a marking that indicates the Intended Load.

7 Explanatory material (informative)

This section gives the rationale behind the requirements, but it does not reduce the requirements. For example, the section on accessories might mention only a few accessories, but the fact that the list is not exhaustive does not mean that accessories not mentioned do not need to be used in compliance with this Standard. This Standard still applies to them, even if they are not mentioned in the explanatory material.

7.1 Scope

This document is being written primarily to address concerns with stage and studio luminaires coming loose and falling or being knocked during scene shifts and losing barndoors and top hats. However, small fog machines and bubble machines are often mounted on lighting battens with C-clamps or hook-clamps in a manner similar to the way that luminaires are mounted, were cited by Actors' Equity as also being a concern, and are being included in this Standard. Other special effects devices, such as snow drops, that are not normally attached to battens with lighting instrument C-clamps would not be included.

7.2 Attaching the Primary Mounting Device

Few Primary Mounting Devices are offered with instructions for their attachment. In general, the devices need to be attached firmly, but not so firmly as to crush a Mounting Position pipe or truss tube. One manufacturer that does provide instructions suggests tightening the C-clamp bolt affixing it to the batten to 15 to 20 ft. lbs., which is approximately finger tight plus a quarter turn additional with a wrench. The bolt attaching the C-clamp to the luminaire's yoke is to be tightened to about 5 to 10 ft. lbs., which is approximately finger tight with about another eighth turn with a wrench. Further tightening the C-clamp bolt against the batten can damage the batten and add stress to the C-clamp, increasing the probability that it will fail.

Some Primary Mounting Devices, such as hook clamps, are only designed to support a luminaire hanging directly below the clamp, and the instructions for the clamp say that they are not designed for use with luminaire above the Mounting Position. Other Primary Mounting Devices, such as some brands of extruded aluminum C-clamps, have a load rating for a vertical load suspended directly below the clamp, but no rating if the clamp is used to support the load sticking out horizontally from a vertical boom. The technician attaching the Primary Mounting Device needs to pay attention to how the load will be supported and whether it is consistent with whatever load rating the device has.

7.3 When a Secondary Mounting Device is not required

There are a few cases where it will be inconvenient but not unsafe for a luminaire to fall, so a Secondary Mounting Device would not be required. An instrument mounted just above the floor would be an example. Some balcony rail positions have a screen beneath them that will catch an instrument that falls. A safety cable in that case would be redundant.

Sometimes two or more Primary Mounting Devices are used, for example, two truss clamps holding an automated luminaire. If the failure of one of them will not cause the equipment to fall, a Secondary Mounting Device is unnecessary; the redundant second Primary Mounting Device could be considered to be functioning as a Secondary Mounting Device. However, it should be possible for the mounting failure to be detected, so that it can be repaired and the redundant mounting restored.

7.4 Attaching the Secondary Mounting Device

It is common practice to run a safety cable through the inverted-U yoke of an instrument and then over the batten supporting it, next to the C-clamp. This works as long as the yoke of the instrument is not compromised (it is attached to the instrument at both ends and not broken at one end) and the safety cable cannot slip off the batten. If the instrument is mounted at the end of a batten, a C-clamp or other device should be used to keep the safety cable from sliding off.

Some equipment is designed with a mounting point for the Secondary Mounting Device. If one is provided, it should be used.

7.5 Securing Accessories

Accessories, such as barndoors and top hats, are the things most likely to come loose and fall, if they are not secured. They need to be held in place with a catch or wired in place.

Gel frames are less likely to fall, but still can if caught by passing scenery or may fall if the luminaire is mounted up-side down. Falling metal gel frames can give nasty cuts if they land on someone. Some gel runners have springs to press against the frames but do not have latches to securely hold the frames in place. The spring pressure will stop rattles, but is unlikely to be adequate for safety.

Accessories do not need to be secured if it is unlikely that anyone will be injured if they fall. A lighting instrument mounted near the floor, so that no one can be underneath it, would be one such case. Cardboard gel frames also are unlikely to hurt anyone if they fall, so they do not need to be secured. However, securing them might be desirable simply to avoid the embarrassment of one coming loose during a show and falling to the stage.

7.6 Mounting Device load rating and proof-testing

Devices with load-ratings are preferred, but much of the equipment used in North America has no rating. Rather than simply accepting an unrated clamp because it hasn't broken yet, or prohibiting its use, we require that this equipment be proof-tested. If a Primary Mounting Device will support twice its Intended Load for an hour and not break, it's likely to hold the Intended Load through a long Broadway run.

The proof-test for Primary Mounting Devices is taken from UL 1573, except that the Test Load is lower. UL 1573 requires a 6-times Test Load, but it is designed to establish a safe working load limit for an entire production run based on testing only a few samples. In the case of this Standard, we are requiring that each device be tested, so the test criteria can be lower. We are not suggesting that a few mounting devices be tested with the 6-times load and that the results be extrapolated to the whole inventory of unrated Primary Mounting Devices in a theatre or rental shop's inventory, as UL does, because that larger population of mounting devices might come from many different manufacturers or many different production runs.

The proof-test for Secondary Mounting Devices in this Standard is essentially identical to the test in UL 1573. We do not lower the load because the UL standard is less stringent than the criteria found in IEC 60598-2-17: Luminaires - Part 2-17: Particular requirements - Luminaires for stage lighting, television and film studios, so we consider this already a derating. We do not suggest using the drop-test found in IEC 60598-2-17 because failure in that test is likely to result in parts flying. That is acceptable in a testing lab, but not in a rental house's shop or backstage in a theatre. The test in UL 1573 is safer for the person doing the testing and is still effective.